













# Rundringmechaniken

Angaben in mm



Art.-Nr.	 Stück / Karton	 Füllhöhe	 ges. Höhe	 ges. Breite	 Gehäusebreite	 ges. Länge	 Nietlochanstand	 Ringabstände	 Drahtbügel - Ø	 kg / Karton
R 120 02 13 (15)	1.000	9,0	19,0	17,5	15,0	120	112,0	80	1,8 x 2,55	15,3
R 123 02 16 (15)	800	12,8	23,0	18,0	15,0	120	112,0	80	1,8 x 2,55	13,8
R 123 02 19 (20)	800	14,0	25,0	23,5	20,0	123	114,0	80	2,2 x 3,4	17,4
R 123 02 25 (20)	500	21,0	31,5	29,5	20,0	123	114,0	80	2,2 x 3,4	12,2
R 123 02 30 (20)	400	25,0	36,5	34,5	20,0	123	114,0	80	2,2 x 3,4	11,9
R 123 02 35 (26)	300	30,0	41,5	40,0	26,0	124	114,0	80	2,5 x 4,0	13,1
R 133 02 38 (26)	400	33,0	46,0	44,0	26,0	132	122,0	80	3,0 x 4,5	18,1
R 133 02 45 (26)	400	40,0	52,5	51,0	26,0	132	122,0	80	3,0 x 4,5	23,1
R 133 02 50 (26)	240	44,0	58,0	55,5	26,0	132	122,0	80	3,0 x 4,5	15,1
R 210 04 13 (15)	600	9,0	19,0	17,5	15,0	208	200,0	45-65-45	1,8 x 2,55	17,7
R 210 04 16 (15)	400	13,0	21,5	20,5	15,0	208	200,0	45-65-45	2,1 x 2,7	14,3
R 210 04 19 (20)	300	14,0	25,0	23,5	20,0	210	200,0	45-65-45	2,2 x 3,4	12,7
R 210 04 25 (20)	300	21,0	31,5	30,5	20,0	210	200,0	45-65-45	2,2 x 3,4	14,2
R 210 04 30 (20)	300	25,0	36,5	34,5	20,0	210	200,0	45-65-45	2,2 x 3,4	16,1
R 282 04 13 (17)	300	8,0	18,0	17,0	17,0	282	272,5	80-80-80	1,8 x 2,6	14,7
R 282 04 16 (17)	300	13,0	23,5	20,5	17,0	282	272,5	80-80-80	2,2 x 3,4	15,3
R 287 04 19 (20)	200	14,0	23,0	22,5	20,0	286	277,0	80-80-80	2,2 x 3,4	12,3
R 287 04 25 (20)	200	21,0	31,5	30,5	20,0	286	277,0	80-80-80	2,2 x 3,4	13,2
R 287 04 30 (20)	200	25,0	36,5	34,5	20,0	286	277,0	80-80-80	2,2 x 3,4	14,5
R 287 04 35 (26)	160	30,0	41,5	40,0	26,0	286	277,0	80-80-80	2,5 x 4,0	16,3
R 287 04 38 (26)	160	33,0	46,0	40,0	26,0	286	277,0	80-80-80	2,5 x 4,0	16,6
R 287 04 45 (26)	160	40,0	52,5	51,0	26,0	286	277,0	80-80-80	3,0 x 4,5	20,0
R 300 04 51 (36)#	90	41,5	57,0	57,0	36,0	299	290,0	80-80-80	3,0 x 4,5	15,5

# = drittes Nietloch